Study | Anomalous Amyloid Microclots Found in 100% of the COVID-19 Vaccinated | The Same Pathology Behind The Large White Fibrous Clots Pulled From Corpses Worldwide

TRUTH11.COM

Nov 20, 2025 1 min

Exposing The Darkness | Lioness of Judah Ministry | LionessOfJudah.substack.com

Nicolas Hulscher, MPH | x.com/NicHulscher

Subscribe

In a cohort that was 94% vaccinated, **EVERY** participant had amyloid microclots — the SAME pathology behind the large white fibrous clots now being pulled from corpses worldwide:

100% of vaccinated participants had fibrinolysis-resistant, ThT-positive amyloid microclots circulating in their blood — including every “healthy control.”

What the authors called “Long COVID” [no such thing] was actually Long VACCINE: 90% of the “Long COVID” group was vaccinated.



JOURNAL OF
MEDICAL VIROLOGY

Circulating Microclots Are Structurally Associated With Neutrophil Extracellular Traps and Their Amounts Are Elevated in Long COVID Patients

Alain R. Thierry[1,2] | Tom Usher[3] | Cynthia Sanchez[1] | Simone Turner[3] | Chantelle Venter[3] | Brice Pastor[1] | Maxine Waters[3] | Anel Thompson[3] | Alexia Mirandola[1] | Ekaterina Pisareva[1] | Corinne Prevostel[1] | Gert J. Laubscher[4] | Douglas B. Kell[3,5,6] | Etheresia Pretorius[3,5]

94% of ALL study participants were vaccinated.

Vaccination status of participants before blood collection	
SA healthy individuals (HI, SA) **(n = 14)**	14 Vaccinated
French healthy individuals (HI, EFS) **(n = 24)**	24 Vaccinated
Long COVID patients (LC) **(n = 50)**	45 Vaccinated; 4 Unvaccinated; 1 Unknown

Size Range	Number of individuals with one or more microclots	
	Healthy Individuals (SA and EFS) (n=38)	Long COVID patients (LC, (n=50))
0-100 µm²	37 (97.3%)	50 (100%)
100-400 µm²	38 (100%)	50 (100%)
400-900 µm²	37 (97.3%)	50 (100%)
900-1600 µm²	26 (68.4%)	49 (98%)
>1600 µm²	5 (13.1%)	30 (60%)

Table S11: Number of individuals with one or more HFAP (microclots) in Long COVID (LC) patients and healthy individuals.

100% of vaccinated persons had amyloid microclots.

The study never verified COVID infection [flu renamed] No PCR. No antibody testing. No sequencing.

Spike protein alone created these same amyloid microclots in vitro, indicating causation.

The largest, most pathological clots (900–1600µm² and >1600µm²) were 20× higher in the vaccinated “long COVID” group.

These clots were loaded with NETs, myeloperoxidase, elastase, extracellular DNA, and misfolded amyloid fibrin — structures resistant to breakdown.

This is the exact same pathology now being found as white, rubbery fibrous clots in postmortem vessels worldwide.

Every vaccinated individual in the study showed early-stage amyloid microclots, raising alarms about cumulative vascular injury across the entire globe.

The CDC and federal public-health agencies must finally do their job and launch an immediate, transparent investigation into these findings.

Failing to investigate the white fibrous clot situation constitutes a dereliction of duty. [or part of their depopulation plan]

Any platform delivering spike protein into human circulation must be immediately banned for human use.

Image: Source [Edited]

Original Article: https://lionessofjudah.substack.com/p/breaking-amyloid-microclots-were

COMMENTS (0)

Subscribe to Truth11.com

Receive Articles By Email • Support Independent Media

Subscribe now

Support Truth11.com | • Make A Donation

• Become A Monthly Subscriber

© Truth11.com 2025